WE CLAIM:

j-i

1. A method of coagulating menstrual flow in humans and other animals comprising contacting menstrual flow with at least one

3 lectin capable of agglutinating at least one of the constituents

4 of said menstrual flow.

- The method of Claim 1 wherein said lectin is capable of
 agglutinating erythrocytes, leukocytes, and/or tissue fragments
 comprising said menstrual flow.
 - 3. The method of Claim 1 wherein said lectin is selected from the group consisting of WGA, SBA, ConA, and LCA.
 - 4. The method of Claim 1 wherein said lectin is administered intravaginally.
 - 5. The method of claim 4 wherein said lectin is in neat form.
- 1 6. The method of Claim 4 wherein said lectin is contained in a vehicle comprising excipients or adjuvants.
- 7. The method of Claim 4 wherein said lectins are contained in an absorbent device.

- 1 8. The method of Claim 4 wherein said lectins are contained in
- 2 a non-absorbent device.
- 1 9. The method of Claim 1 wherein said lectins are applied
- 2 extravaginally.

- 1 10. The method of Claim 9 wherein said lectins are in neat form.
- 1 11. The method of Claim 9 wherein said lections are contained in
- a vehicle comprising excipients or adjuvants.
 - 12. The method of Claim 9 wherein said lectins are contained in an absorbent device.
 - 13. The method of Claim 9 wherein said lectins are contained in a non-absorbent device.
- 14. A method of preventing toxic shock syndrome in humans caused
 - 2 by pathogenic microorganisms which comprises administering to a
 - 3 human in danger of infection with a pathogenic microorganism
 - 4 causing toxic shock syndrome at least one lectin capable of
 - 5 diminishing the infective capability of said microorganism in an
 - 6 amount effective to diminish the infective capability of said
 - 7 microorganism.

- 2 strain of Staphylococcus aureus.
- 1 16. The method of Claim 14 wherein said lectins are selected
- from the group consisting of WGA, SBA, ConA, and LIP.
- 1 17. The method of Claim 14 wherein said lectin is administered
- 2 intravaginally.

- 1 18. The method of Claim 14 wherein said lectin is in neat form.
 - 19. The method of Claim 14 wherein said lectin is contained in a vehicle comprising excipients or adjuvants.
 - 20. The method of Claim 14 wherein said lectin is incorporated in an absorbent device.
 - 21. The method of Claim 20 wherein said absorbent device is a tampon.
- 1 22. The method of Claim 20 wherein said absorbent device is
- 2 applied extravaginally,